



Panel Light Kit



SLIM 4W ROUND(P3269) & 4W SQUARE (P3270) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 4W RD- Dia 85mm
4W SQ-85*85mm
Cutout- 4W RD- Dia 65mm
4W SQ-65*65mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate +
Foam + Screws + Springs +
Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 4W RD-179*6mm
4W SQ-212*6mm

Combination - 5P4S (20LED)

Driver Details

Wattage - 1-7W (P3317)
Output Voltage - 3V-23V
Output Current - 300mA
Eff - $\geq 75\%$
PF - > 0.50
Surge Protection - 3.5kv



SLIM 8W ROUND(P2170) & 8W SQUARE (P2171) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 8W RD- Dia 120mm
8W SQ-120*120mm
Cutout- 8W RD- Dia 100mm
8W SQ-100*100mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate + Foam +
Screws + Springs + Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 8W RD-288*6mm
8W SQ-331*6mm

Combination - 5P8S (40LED)

Driver Details

Wattage - 8-24W (P3325)
Output Voltage - 16V-90V
Output Current - 300mA
Eff - $\geq 88\%$
PF - > 0.95
Surge Protection - 4kv



SLIM 12W ROUND(P2172) & 12W SQUARE (P2173) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 12W RD- Dia 145mm
12W SQ-145*145mm
Cutout- 12W RD- Dia 125mm
12W SQ-125*125mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate + Foam +
Screws + Springs + Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 12W RD-366*6mm
12W SQ-448*6mm

Combination - 5P12S (60LED)

Driver Details

Wattage - 8-24W (P3325)
Output Voltage - 16V-90V
Output Current - 300mA
Eff - $\geq 88\%$
PF - > 0.95
Surge Protection - 4kv



SLIM 15W ROUND(P2174) & 15W SQUARE (P2175) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 15W RD- Dia 170mm
15W SQ-170*170mm
Cutout- 15W RD- Dia 145mm
15W SQ-145*145mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate + Foam +
Screws + Springs + Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 15W RD-438*6mm
15W SQ-525*6mm

Combination - 5P15S (75LED)

Driver Details

Wattage - 8-24W (P3325)
Output Voltage - 16V-90V
Output Current - 300mA
Eff - $\geq 88\%$
PF - > 0.95
Surge Protection - 4kv



SLIM 18W ROUND(P2176) & 18W SQUARE (P2177) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 18W RD- Dia 200mm
18W SQ-200*200mm
Cutout- 18W RD- Dia 175mm
18W SQ-175*175mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate + Foam +
Screws + Springs + Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 18W RD-527*6mm
18W SQ-640*6mm

Combination - 5P18S (90LED)

Driver Details

Wattage - 8-24W (P3325)
Output Voltage - 16V-90V
Output Current - 300mA
Eff - $\geq 88\%$
PF - > 0.95
Surge Protection - 4kv



SLIM 22W ROUND(P2178) & 22W SQUARE (P2179) LED PANEL LIGHT SKD

Housing Details

Material - Aluminum Casting + Plastic

Dimension - Outer- 22W RD- Dia 225mm
22W SQ-225*225mm
Cutout- 22W RD- Dia 195mm
22W SQ-195*195mm

Per Set - Housing Face + Diffuser + LGP +
Reflector Paper + Back Plate + Foam +
Screws + Springs + Connector Wire Set

LED on PCB Details

Material - Flexible

Size - 22W RD-527*6mm
22W SQ-640*6mm

Combination - 5P22S (110LED)

Driver Details

Wattage - 8-24W (P3325)
Output Voltage - 16V-90V
Output Current - 300mA
Eff - $\geq 88\%$
PF - > 0.95
Surge Protection - 4kv



Lightronics
LED Lighting Solutions



+91 8655 500032



+91 8655 500031



sales.lightronics@gmail.com



www.lightronics.in



Gala No. 9,
Real Industrial Estate No. 5,
Sativali, Vasai East, 401208